

Cable Finder Guide

32 AWG

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	C&C, Hi-Fi Stereo	PVC	—	200	1101	3 - 4	365

30 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	C&C, Hi-Fi Stereo	PVC	—	200	1101	3 - 4	365
Unshielded	Flat Cable, 0.025" CL	PVC		150	3582	26 - 60	372
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	C&C, Hi-Fi Stereo	PVC	—	200	1115	2 - 3	365

28 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Flat Cable, 0.050" CL	PVC	—	300	3580	9 - 64	368
	Flat Cable, 0.050" CL, Twist to Flat	PVC	PVC	300	3586	26 - 60	371
	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86002	2 - 25	115
	Xtra-Guard 1	PVC	PVC	300	5920	2 - 8	32
	Flat Cable, 0.050" CL	PVC		300	3580	9 - 64	368
Foil, Overall	Flat Cable, 0.050" CL, Twist to Flat	PVC	PVC	300	3586	26 - 60	371
	Flat Cable, 0.050 CL, Jacketed	PVC	PVC	150	3590	9 - 60	370
	Xtra-Guard 1	PVC	PVC	300	5926	2 - 8	38
Braid	C&C	PVC	PVC	600	3302	2 - 20	317
	C&C, Miniature Shielded	PVC	PVC	200	1120	2 - 4	365
	Control	PVC	PVC	600	M1411	1 - 12	170
Foil + Braid	C&C	SR-PVC	PVC	300	3463	3 - 50	333
	C&C	FPP	PVC	300	3483	3 - 25	334
	C&C	SR-PVC	PVC	300			
	Computer	SR-PVC	PVC	300	M2403	3 - 50	206
	Computer	SR-PVC	PVC	300	M5303	3 - 50	206
	Flat Cable, 0.050" CL, Round to Flat	PVC	PVC	300	3585	25 - 50	369
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5932	2 - 8	44
Foil, Overall/ Spiral or Foil/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86002CY	2 - 25	116
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Foil, Overall	Xtra-Guard 1	PVC	PVC	300	5938	2 - 6	52
Foil + Braid	C&C	SR-PVC	PVC	300	3472C	2 - 25	347
	C&C, Low Cap.	PE	PVC	300	6390	2 - 31	349
	C&C, Low Cap.	FPP	PVC	300	3492C	2 - 25	351
	Computer	FPP	PVC	300	M2487	2 - 25	216
	Computer, Low Cap.	PE	PVC	300	M3970	2 - 31	218
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5943	2 - 6	54
Foil, Overall/ Spiral or Foil/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86401CY	1 - 14	117

Cable Finder Guide

26 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Silver Satin Telephone	PP	PVC	150	1604	4 - 8	366
	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86102	2 - 25	115
	Xtra-Guard 1	PVC	PVC	300	5666	2 - 15	32
Foil, Overall	Xtra-Guard 1	PVC	PVC	300	5674	2 - 15	38
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86102CY	2 - 25	116
Braid	C&C	PVC/Nylon	PVC	600	3200	1 - 4	318
	Control	PVC	PVC	600	M1421	1 - 3	170
	High Temperature	PTFE	PTFE	600	M1201	1 - 4	240
Spiral	C&C, Microphone	PE	PVC	1000	1702	1	324
	Microphone	PE	PVC	1000	M3633	1	139
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5682	2 - 15	44
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Foil, Overall	Xtra-Guard 1	PVC	PVC	300	5690	2 - 6	52
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86501CY	1 - 14	117
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5695	2 - 6	54

25 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Braid	C&C, Audio	PE	PVC	600	1772	4	325
Foil, Overall and Ind. Pair	C&C	PE	PVC	400	2468	2 + 1 pr	346

24 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	SR-PVC	PVC	300	M38902	2 - 50	143
	C&C	LSZH	LSZH	300			
	C&C	IRR PVC	PVC	300	6622	2 - 4	309
	Computer	SR-PVC	PVC	300	882402	2 - 6	200
	Computer	SR-PVC	PVC	300	M4501	7 - 37	201
	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86202	2 - 25	115
	Xtra-Guard Torsional Flex	TPE	PUR	600	87003	3 - 7	119
	Xtra-Guard 1	PVC	PVC	300	5012C	2 - 50	32
	Xtra-Guard 1	PVC	PVC	300	5201	2 - 37	35
	Xtra-Guard 2	PVC	PUR	300	25012	2 - 25	58
	Xtra-Guard 4	TPE	TPE	300	45012	2 - 25	80
	Xtra-Guard 5	FEP	FEP	300	55012	2 - 12	95
	Audio/Video	PE	PVC	300	M3222	2 - 4	134
	Audio/Video	PE	PVC	300	M13222	2	148
	Audio/Video	SP-PVC	PVC	300	M39024	3 - 50	148
Foil, Overall	Audio/Video	PP	PVC	300	M14328	2	152
	C&C	PE	PVC	300	2400C	2	311
	C&C	PVC	PVC	300	1212C	2 - 50	314
	C&C	SR-PVC	PVC	300	6300/3	3 - 50	315
	C&C, Plenum	PVC	PVC	300	58401	2 - 25	360

Cable Finder Guide

24 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Foil, Overall	Computer	PVC	PVC	300	1012405	5 - 9	204
	Computer	SR-PVC	PVC	300	M4602	2 - 50	205
	Plenum	PVC	PVC	300	M244837	2 - 4	161
	Plenum	FEP	FEP	300	M64837	2 - 15	164
	Plenum	FEP	PVC	300			
	Security/Data	PVC	PVC	300	M239023	2 - 4	157
	Xtra-Guard 1	PVC	PVC	300	5092C	2 - 70	38
	Xtra-Guard 1	PVC	PVC	300	5399	3 - 27	41
	Xtra-Guard 2	PVC	PUR	300	25092	2 - 25	61
	Xtra-Guard 3	PVC	PE	300	35491	1 - 4	77
	Xtra-Guard 4	TPE	TPE	300	45092	2 - 25	83
	Xtra-Guard 5	FEP	FEP	300	55092	2 - 12	97
Braid	Audio/Video	PE	PVC	300	M1102	2 - 6	128
	C&C	PVC/Nylon	PVC	600	3210	1 - 4	318
	C&C	IRR PVC	PVC	600	7622	2 - 4	322
	C&C	PTFE	FEP	600	2831	1 - 3	328
	C&C	TFE	Fiberglass	600	2811	1 - 7	329
	C&C	PTFE	PTFE	600	2821	1 - 6	331
	C&C, Microphone	PE	PVC	3500	1703	1	324
	Control	PVC	PVC	600	M1431	1 - 3	170
	High Temperature	PTFE	PTFE	600	24RC2S06	2 - 4	238
	High Temperature	ETFE	ETFE	600	275002402	2	239
	High Temperature	PTFE	PTFE	600	M1211	1 - 4	240
	High Temperature	PTFE	FEP	600	72402	2	242
	Microphone	PE	PVC	3500	M3605	1	139
	C&C	SR-PVC	PVC	300	6327	3 - 50	335
Foil + Braid	C&C, Low Cap.	FPE	PVC	300	6351	3 - 37	336
	Computer, Low Cap.	FPE	PVC	300	M2456	3 - 37	210
	Computer	SR-PVC	PVC	300	M2438	3 - 50	207
	Computer	SR-PVC	PVC	300	M5333	3 - 50	207
	Computer	SR-PVC	PVC	300	M5500	5 - 60	209
	Industrial Series S Servo Power	PVC	TPE	600	S61124CY	4	283
Spiral	C&C, Microphone	PE	PVC	1000	1705	1	324
	C&C, Microphone	PE	PVC	1000	1709	2	324
	Xtra-Guard Torsional Flex	TPE	PUR	600	87003CY	3 - 7	121
	Microphone	PE	PVC	1000	M3635	1	139
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5112C	2 - 50	44
	Xtra-Guard 1	PVC	PVC	300	5300C	5 - 48	47
	Xtra-Guard 2	PVC	PUR	300	25112	2 - 50	64
	Xtra-Guard 4	TPE	TPE	300	45112	2 - 25	86
	Xtra-Guard 5	FEP	FEP	300	55112	2 - 12	99
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86202CY	2 - 25	116
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	Xtra-Guard 1	PVC	PVC	300	5261C	1 - 77	50
Foil, Overall	C&C	SR-PVC	PVC	300	5471	1 - 50	338
	C&C, Low Cap.	HDPE	PVC	300	6083C	3 - 4	342
	C&C, Low Cap.	PE	PVC	300	6301	6 - 12.5	343
	C&C, Low Cap.	FPP	PVC	300	6202C	2 - 25	344
	Computer, Low Cap.	FPP	PVC	300	M39249	2 - 27	215

Cable Finder Guide

24 AWG

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Foil, Overall	C&C, Low Cap., Plenum	FEP	PVDF	150	58902	2 - 12.5	363
	C&C, Mid Cap., Plenum	FEP	PVDF	150	58802	2 - 12.5	363
	C&C, Plenum	PVC	PVC	300/150	57602	2 - 6	362
	Computer	SR-PVC	PVC	300	M13190	1 - 50	213
	Plenum	FEP	FEP	300	M613190	1 - 5	168
	Plenum	FEP	PVC	300	M52893	1 - 12.5	167
	Security/Data	PVC	PVC	300	M213191	2 - 4	160
	Xtra-Guard 1	PVC	PVC	300	5491C	1 - 27	52
	Xtra-Guard 2	PVC	PUR	300	25491	1 - 27	67
	Xtra-Guard 4	TPE	TPE	300	45491	1 - 27	90
	Xtra-Guard 5	FEP	FEP	300	55491	1 - 11	102
Foil, Ind. Pairs	C&C, Low Cap., Plenum	FEP	PVDF	150	58602	2 - 4	363
	C&C	PE	PVC	300	6385	3 - 25	357
	C&C	FPP	PVC	300	6073C	3 - 27	367
	Plenum	FEP	PVDF	300	M42891	2 - 18	169
Foil + Braid	C&C	SR-PVC	PVC	300	6362	2 - 25	348
	C&C, Low Cap.	PE	PVC	300	6401	2 - 25	350
	C&C, Low Cap.	FPP	PVC	300	6222C	2 - 25	352
	Computer	SR-PVC	PVC	300	M3446	2 - 15	219
	Computer	SR-PVC	PVC	300	M5650	5 - 37	214
	Computer	SR-PVC	PVC	300	M5660	5 - 37	214
	Computer	FPP	PVC	300	M3420	2 - 25	216
	Computer, Low Cap.	FPP	PVC	300	M3475	2 - 25	217
	Computer, Low Cap.	PE	PVC	300	M3993	1 - 25	218
Foil + Braid, Foil on Ind. Pairs	C&C, Low Cap.	FPE	PVC	300	6316	2 - 25	359
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5271C	1 - 51	54
	Xtra-Guard 1	PVC	PVC	300	5330C	5 - 37	56
	Xtra-Guard 2	PVC	PUR	300	25271	1 - 19	69
	Xtra-Guard 3	PVC	PE	300	35272	2	78
	Xtra-Guard 4	TPE	TPE	300	45271	1 - 19	92
	Xtra-Guard 5	FEP	FEP	300	55271	1 - 12	103
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86601CY	1 - 14	118

23 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Braid	C&C, Audio	PE	PVC	600	1771	2	325

22 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13302	2 - 50	125
	Audio/Video	SR-PVC	PVC	300	M33302	2 - 60	143
	C&C	LSZH	LSZH	300	1172L	2 - 10	303
	C&C	PVC	PVC	300	1172C	2 - 60	305
	C&C	IRR PVC	PVC	300	6632	2 - 4	309
	Computer	SR-PVC	PVC	300	882202	2 - 60	200
	Computer	SR-PVC	PVC	300	M4508	2 - 37	201
	Control	PVC	PVC	300	M39071	2 - 3	181

Cable Finder Guide

22 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Security/Data	PVC	PVC	300	M213302	2 - 8	156
	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86302	2 - 25	115
	Xtra-Guard Torsional Flex	TPE	PUR	600	87103	3 - 7	119
	Xtra-Guard 1	PVC	PVC	300	5002C	2 - 60	33
	Xtra-Guard 1	PVC	PVC	300	5210	2 - 37	35
	Xtra-Guard 1	PVC	PVC	600	5402	2 - 19	36
	Xtra-Guard 2	PVC	PUR	300	25002	2 - 25	58
	Xtra-Guard 3	PVC	PE	300	35002	2 - 15	72
	Xtra-Guard 4	TPE	TPE	300	45002	2 - 25	80
	Xtra-Guard 5	FEP	FEP	300	55002	2 - 12	95
Foil, Overall	Audio/Video	PE	PVC	300	M3226	2 - 4	134
	Audio/Video	PE	PVC	300	M13226	2 - 3	148
	Audio/Video	PVC	PVC	300	M13229	2	149
	Audio/Video	PP	PVC	300	M4325	2	152
	C&C	PE	PVC	300	2401C	2 - 4	311
	C&C	PP	PVC	300	2460C	2 - 4	313
	C&C	PVC	PVC	300	1292C	2 - 50	314
	C&C, Plenum	PVC	PVC	300	58113	3 - 25	360
	Computer	SR-PVC	PVC	300	M4633	2 - 50	205
	Control	PVC	PVC	300	M39113	2 - 3	184
	Plenum	PVC	PVC	300	M244800	2 - 10	161
	Plenum	FEP	PVDF	300	M413226	2	163
	Plenum	FEP	FEP	300	M64800	2 - 15	164
	Security/Data	PVC	PVC	300	M113226	2 - 3	157
	Xtra-Guard 1	PVC	PVC	300	5192C	2 - 70	39
	Xtra-Guard 1	PVC	PVC	300	5580	2 - 37	41
	Xtra-Guard 1	PVC	PVC	600	5410	2 - 12	42
	Xtra-Guard 2	PVC	PUR	300	25192	2 - 50	61
	Xtra-Guard 3	PVC	PE	300	35192	2 - 60	73
	Xtra-Guard 4	TPE	TPE	300	45192	2 - 25	83
	Xtra-Guard 5	FEP	FEP	300	55192	2 - 12	97
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86302CY	2 - 25	116
Braid	Audio/Video	PE	PVC	300	M1112	2 - 8	128
	Audio/Video	PVC	PVC	300	M3202	2 - 4	146
	C&C	PVC/Nylon	PVC	600	3220	1 - 8	318
	C&C	PVC	PVC	300	1735	1 - 4	320
	C&C	IRR PVC	PVC	600	7631	2 - 4	322
	C&C	PTFE	FEP	600	2834	1 - 3	328
	C&C	TFE	Fiberglass	600	2814/2	2 - 6	329
	C&C	PTFE	PTFE	600	2824	1 - 6	331
	C&C, Microphone	PE	PVC	1000	1710	2	324
	Control	PVC	PVC	600	M1441	1 - 10	171
	High Temperature	PTFE	PTFE	600	22RC2S06	2 - 4	238
	High Temperature	ETFE	ETFE	600	275002201	1 - 4	239
	High Temperature	PTFE	PTFE	600	M1221	1 - 4	240
	High Temperature	PTFE	FEP	600	72203	3	242
	Microphone	PVC	PVC	300	M14461	2	140
Foil + Braid	C&C	SR-PVC	PVC	300	6339	3 - 50	335
	Computer	SR-PVC	PVC	300	M2473	3 - 50	208
	Computer	SR-PVC	PVC	300	M5509	5 - 60	209
	Industrial Series S Servo Power	PVC	TPE	600	S61122CY	4	283

Cable Finder Guide

22 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Spiral	C&C	PVC	PVC	300	2254	1 - 6	316
	Xtra-Guard Torsional Flex	TPE	PUR	600	87103CY	3 - 7	121
	Audio/Video	PVC	PVC	300	M3261	1 - 6	144
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	600	5504	4 - 12	48
	Xtra-Guard 2	PVC	PUR	300	25102	2 - 50	64
	Xtra-Guard 3	PVC	PE	300	35102	2 - 15	76
	Xtra-Guard 4	TPE	TPE	300	45102	2 - 25	86
	Xtra-Guard 5	FEP	FEP	300	55102	2 - 12	99
Unshielded + Braid	C&C	PVC	PVC	300	1243	3 - 5	310
Unshielded/Foil	Audio/Video	PVC	PVC	300	M4475	3 - 4	153
Unshielded/Foil	Audio/Video	PP	PVC	300	M14474	2	153
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	Audio/Video	PVC	PVC	300	M13001	1 - 27	132
	C&C	LSZH	LSZH	300	2466L	2 - 12	304
	C&C	PVC	PVC	300	1300C	1 - 27	337
	Security/Data	PVC	PVC	300	M2210	2 - 4	158
	Xtra-Guard 1	PVC	PVC	300	5021C	1 - 15	50
	Xtra-Guard 5	FEP	FEP	300	55201	1 - 12	101
Foil, Overall	C&C	PVC	PVC	300	5902C	2 - 19	339
	C&C	PVC	PVC	150	2211C	1 - 27	340
	C&C	PVC	PVC	300	6417	1 - 51	341
	C&C	FPP	PVC	300	6072C	2	367
	C&C, Low Cap.	FPP	PVC	300	6212C	2 - 25	344
	Computer	SR-PVC	PVC	300	M4779	1 - 27	213
	Computer	PVC	PVC	300	M3191	51, 102	212
	Computer	PP	PVC	300	M3190	38	213
	Control	PVC	PVC	300	M39130	2 - 51	183
	Fieldbus, High-Speed	FPO	PVC	300	6461	1	296
	Fieldbus, Type B	PO	PVC	300	6460	1	295
	Instrumentation	PVC	PVC	300	5610B2201	1	186
	Instrumentation	PVC	PVC	300	5640B2201	1	192
	Security/Data	PVC	PVC	300	M213222	2 - 4	160
	Xtra-Guard 1	PVC	PVC	300	5481C	1 - 27	53
	Xtra-Guard 2	PVC	PUR	300	25481	1 - 19	67
	Xtra-Guard 3	PVC	PE	300	35481	1 - 5	77
	Xtra-Guard 4	TPE	TPE	300	45481	1 - 15	90
	Xtra-Guard 5	FEP	FEP	300	55481	1 - 12	102
Foil, Ind. Pairs	Audio/Video	PP	PVC	300	M39039	6 - 15	136
	C&C	PVC	PVC	300	6052C	2 - 27	353
	C&C	PP	PVC	300	6010C	3 - 27	354
	C&C	PVC	PVC	300	6434	2 - 51	355
	Control	PVC	PVC	300	M39147	2 - 51	182
	Plenum	PVC	PVC	300	M24473	2 - 6	166
	Security/Data	PVC	PVC	300	M213102	2 - 6	159
Foil, Overall and Pairs	C&C, Mid Cap., Plenum	FEP	PVDF	150	58612	2 - 6	364
Foil, Overall/Spiral or Foil, Overall/Braid	Xtra-Guard Continuous Flex, Data	PVC	PVC	300	86701CY	1 - 14	118
Foil + Braid	C&C	SR-PVC	PVC	300	6373	2 - 25	348
	Computer	SR-PVC	PVC	300	M3433	2 - 25	219
	PROFIBUS-DP	HDPE	PVC	300	6462	1	297
	RS-485	HDPE	PVC	600	6453	1 - 4	298

Cable Finder Guide

22 AWG

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5121C	1 - 27	55
	Xtra-Guard 1	PVC	PVC	300	5340C	2 - 37	56
	Xtra-Guard 2	PVC	PUR	300	25121	1 - 15	69
	Xtra-Guard 3	PVC	PE	300	35121	1 - 9	78
	Xtra-Guard 4	TPE	TPE	300	45121	1 - 19	92
	Xtra-Guard 5	FEP	FEP	300	55121	1 - 12	103

22 AWG + 18 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	C&C	PVC	PVC	300	1826C	6 - 8	310

20 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13402	2	Unshielded
	Audio/Video	PVC	PVC	300	M33402	2 - 19	Unshielded
	C&C	LSZH	LSZH	300	1895L	2 - 6	Unshielded
	C&C	PVC	PVC	300	1895C	2 - 15	Unshielded
	C&C	IRR PVC	PVC	300	6642	2 - 4	Unshielded
	Computer	PVC	PVC	300	882002	2 - 15	Unshielded
	Computer	SR-PVC	PVC	300	M4517	2 - 37	Unshielded
	Control	PVC	PVC	300	M39073	2 - 3	Unshielded
	Instrumentation	PVC	PVC	300			Unshielded
	Security/Data	PVC	PVC	300	M213402	2 - 4	Unshielded
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85003	3 - 34	Unshielded
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85003CY	3 - 25	Unshielded
	Xtra-Guard Standard Flex	PVC	PVC	600	65002	2 - 25	Unshielded
	Xtra-Guard Torsional Flex	TPE	PUR	600	87203	3 - 7	Unshielded
	Xtra-Guard 1	PVC	PVC	300	5052C	2 - 50	Unshielded
	Xtra-Guard 1	PVC	PVC	300	5220	2 - 37	Unshielded
	Xtra-Guard 1	PVC	PVC	600	5413	2 - 25	Unshielded
	Xtra-Guard 2	PVC	PUR	300	25052	2 - 70	Unshielded
	Xtra-Guard 3	PVC	PE	300	35052	2 - 15	Unshielded
	Xtra-Guard 4	TPE	TPE	300	45052	2 - 15	Unshielded
	Xtra-Guard 5	FEP	FEP	300	55052	2 - 12	Unshielded
Foil, Overall	Audio/Video	PP	HDPE	300	M39047	2 - 15	130
	Audio/Video	PE	PVC	300	M3232	2 - 4	134
	Audio/Video	PE	PVC	300	M13232	2 - 3	149
	Audio/Video	PVC	PVC	300	M14429	2	151
	C&C	PE	PVC	300	2411C	2 - 4	311
	C&C	PE	PVC	300	1243/3C	3	313
	C&C	PVC	PVC	300	2465C	4	313
	C&C, Plenum	PVC	PVC	300	58421	2 - 6	360
	Computer	PVC	PVC	300	M4660	2 - 50	202
	Control	PVC	PVC	300	M39115	2 - 3	184

Cable Finder Guide

20 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Foil, Overall	Plenum	PVC	PVC	300	M244816	2 - 4	161
	Plenum	FEP	FEP	300	M64816	2 - 10	165
	Security/Data	PVC	PVC	300	M113232	2 - 3	157
	Xtra-Guard 1	PVC	PVC	300	5462C	2 - 50	39
	Xtra-Guard 1	PVC	PVC	300	5560	2 - 19	41
	Xtra-Guard 1	PVC	PVC	600	5420	2 - 12	42
	Xtra-Guard 2	PVC	PUR	300	25462	2 - 50	61
	Xtra-Guard 3	PVC	PE	300	35462	2 - 25	73
	Xtra-Guard 4	TPE	TPE	300	45462	2 - 40	83
	Xtra-Guard 5	FEP	FEP	300	55462	2 - 12	97
	Audio/Video	PE	PVC	300	M1122	2 - 20	128
Braid	Audio/Video	PVC	PVC	300	M3206	2 - 12	146
	C&C	PVC/Nylon	PVC	600	3230	10 4	319
	C&C	PVC	PVC	300	1741C	2 - 4	320
	C&C	IRR PVC	PVC	600	7661	2 - 4	322
	C&C	PE	PVC	600	1712	2 - 20	326
	C&C	PTFE	FEP	600	2837/2	2 - 3	328
	C&C	TFE	Fiberglass	600	2817/2	2 - 6	329
	C&C	PTFE	PTFE	600	2827	1 - 6	331
	C&C, Microphone	PE	PVC	4000	1706	1	324
	C&C, Microphone	PE	PVC	1000	1712	2	324
	Control	PVC	PVC	600	M1451	1 - 4	171
	High Temperature	PTFE	PTFE	600	20RC2S06	2 - 4	238
	High Temperature	ETFE	ETFE	600	275002001	1 - 4	239
	High Temperature	PTFE	PTFE	600	M1231	1 - 4	240
	High Temperature	PTFE	FEP	600	72001	1	242
	Industrial Series S Servo Encoder/Resolver	PO	TPE	300	S61300CY	9	284
	Microphone	PE	PVC	4000	M3611	1	139
	Xtra-Guard Standard Flex	PVC	PVC	600	65003CY	3 - 25	109
Foil + Braid	Computer	SR-PVC	PVC	300	M5518	5 - 60	209
	Computer	PVC	PVC	300	M5360	2 - 50	211
	Industrial Series S Servo Power	PVC	TPE	600	S61120CY	4	283
Spiral	C&C	PVC	PVC	300	2256	1 - 6	316
	Xtra-Guard Torsional Flex	TPE	PUR	600	87203CY	3 - 7	121
	Audio/Video	PVC	PVC	300	M3271	1 - 6	144
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5152C	2 - 60	45
	Xtra-Guard 1	PVC	PVC	300	5320	4 - 37	47
	Xtra-Guard 1	PVC	PVC	600	5514	4 - 19	48
	Xtra-Guard 2	PVC	PUR	300	25152	2 - 50	64
	Xtra-Guard 3	PVC	PE	300	35152	2 - 15	76
	Xtra-Guard 4	TPE	TPE	300	45152	2 - 25	86
	Xtra-Guard 5	FEP	FEP	300	55152	2 - 12	99
Unshielded/Foil	Audio/Video	PVC	PVC	300	M4452	4	153

Cable Finder Guide

20 AWG

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	Audio/Video	PVC	PVC	300	M13063	3 - 15	133
	C&C	PVC	PVC	300	1317C	2 - 19	337
	Instrumentation	PVC	PVC	300	M9500010	1	185
	Security/Data	PVC	PVC	300	M2222	2 - 6	158
	Xtra-Guard 1	PVC	PVC	300	5282C	2 - 12	51
Foil, Overall	C&C	SR-PVC	PVC	300	6416	2	338
	C&C, Plenum	PVC	PVC	300/150	57632	2 - 6	362
	Instrumentation	PVC	PVC	300	M9520010	1	186
	Instrumentation	PVC/Nylon	PVC	600	5616B2001	1	187
	Security/Data	PVC	PVC	300	M213202	2 - 6	160
	Xtra-Guard 1	PVC	PVC	300	5452C	2 - 19	53
	Xtra-Guard 2	PVC	PUR	300	25452	2 - 15	68
	Xtra-Guard 3	PVC	PE	300	35452	2 - 3	77
	Xtra-Guard 4	TPE	TPE	300	45451	1 - 27	91
	Xtra-Guard 5	FEP	FEP	300	55451	1 - 12	102
Foil, Ind. Pairs	Audio/Video	PP	HDPE	350	M39051	3 - 6	131
	Audio/Video	SR-PVC	PVC	300	M13142	2	136
	Audio/Video	PE	PVC	300	M13143	3 - 15	137
	Audio/Video	PP	PVC	300	M14604	4	138
	C&C	PP	PVC	300	6032C	3 - 12	354
	C&C, Direct Burial	PP	PE	350	6314	3 - 6	356
	Plenum	PVC	PVC	300	M243142	2 - 4	166
	Security/Data	PVC	PVC	300	M213142	2 - 6	159
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	300	M9740020	2 - 50	197
Braid	Industrial Series S Servo Encoder/Resolver	PO	TPE	300	S61403CY	3 - 6	284
Foil + Braid	Computer	SR-PVC	PVC	300	M5670	5 - 27	214
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5292C	2 - 19	55
	Xtra-Guard 1	PVC	PVC	300	5350C	4 - 27	56
	Xtra-Guard 2	PVC	PUR	300	25292	2 - 9	70
	Xtra-Guard 4	TPE	TPE	300	45291	1 - 15	93
	Xtra-Guard 5	FEP	FEP	300	55291	1 - 12	103
Triads							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Triads	Page
Unshielded	Instrumentation	PVC	PVC	300	M9600010	1	191
Foil, Overall	Instrumentation	PVC	PVC	300	M9520010	1 - 12	192
	Instrumentation	PVC/Nylon	PVC	300	M9700020	2 - 50	196
Foil, Overall and Ind. Pairs	Instrumentation	PVC	PVC	300	5650B2004	4 - 12	193

18 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13502	2 - 25	126
	Audio/Video	PVC	PVC	300	M33502	2 - 25	141
	C&C	PVC	PVC	300	1897C	2 - 25	306
	C&C	IRR PVC	PVC	300	6652	2 - 4	309
	Computer	PVC	PVC	300	881802	2 - 15	198

Cable Finder Guide

18 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Control	PVC/Nylon	PVC	600	M3800	2 - 37	173
	Control	PVC/Nylon	PVC	600	M39056	2	176
	Control	PVC	PVC	300	M39075	2 - 3	181
	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F18003	3 - 65	277
	Industrial Series M Control	PVC/Nylon	PVC	600	M18103	3 - 65	279
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP181003	3 - 65	281
	Security/Data	PVC	PVC	300	M213502	2 - 4	156
	Solar	PVC/Nylon	PVC	1000	SPM1803	3 - 9	291
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85803	3 - 34	111
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85803CY	3 - 25	113
	Xtra-Guard Standard Flex	PVC	PVC	600	658002	2 - 50	106
	Xtra-Guard Torsional Flex	TPE	PUR	600	87303	3 - 7	119
	Xtra-Guard 1	PVC	PVC	300	5062C	2 - 60	34
	Xtra-Guard 1	PVC	PVC	600	5422	2 - 25	36
	Xtra-Guard 2	PVC	PUR	300	25061	2 - 25	59
	Xtra-Guard 2	PVC	PUR	600	25422	2 - 12	60
	Xtra-Guard 3	PVC	PE	300	35062	2 - 15	72
	Xtra-Guard 4	TPE	TPE	300	45062	2 - 25	81
	Xtra-Guard 4	TPE	TPE	600	45422	2 - 9	82
	Xtra-Guard 5	FEP	FEP	300	55062	2 - 12	96
Foil, Overall	Audio/Video	PE	PVC	300	M3242	2 - 4	134
	Audio/Video	PE	PVC	300	M13242	2 - 3	149
	Audio/Video	SR-PVC	PVC	300	M13244	4	149
	C&C	PE	PVC	300	2421C	2 - 4	311
	C&C, Plenum	PVC	PVC	300	58431	2 - 6	361
	Computer	PVC	PVC	300	M4690	2 - 40	202
	Control	PVC/Nylon	PVC	600	M33800	2 - 19	177
	Control	PVC/Nylon	PVC	600	M39109	2	179
	Control	PVC	PVC	300	M39117	2 - 3	184
	Plenum	PVC	PVC	300	M244825	2 - 4	162
	Plenum	FEP	PVDF	300	M413242	2	163
	Plenum	FEP	FEP	300	M64825	2 - 8	165
	Security/Data	PVC	PVC	300	M113242	2 - 4	157
	Xtra-Guard 1	PVC	PVC	300	5382C	2 - 60	40
	Xtra-Guard 1	PVC	PVC	600	5430	2 - 25	42
	Xtra-Guard 2	PVC	PUR	300	25382	2 - 50	62
	Xtra-Guard 2	PVC	PUR	600	25430	2 - 19	63
	Xtra-Guard 3	PVC	PE	300	35382	2 - 25	74
	Xtra-Guard 3	PVC	PE	600	35430	2 - 12	75
	Xtra-Guard 4	TPE	TPE	300	45382	2 - 30	84
	Xtra-Guard 4	TPE	TPE	600	45430	2 - 12	85
Braid	Xtra-Guard 5	FEP	FEP	300	55382	2 - 12	98
	Audio/Video	PE	PVC	300	M1142	2 - 6	129
	Audio/Video	PVC	PVC	300	M3212	2 - 4	146
	C&C	PVC/Nylon	PVC	600	3240	1 - 4	319
	C&C	PVC	PVC	300	1745	1 - 4	320
	C&C	IRR PVC	PVC	600	7671	2 - 4	322
	C&C	Rubber	Neoprene	600	1450	2 - 6	327
	C&C	TFE	Fiberglass	600	2819	1 - 5	330

Cable Finder Guide

18 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Braid	C&C	PTFE	PTFE	600	2829/2	2 - 4	332
	Control	PVC	PVC	600	M1461	1 - 3	171
	Control	PVC	PVC	1000	M1704	4 - 16	171
	High Temperature	PTFE	PTFE	600	18RC2S06	2 - 4	238
	High Temperature	ETFE	ETFE	600	275001801	1 - 2	239
	High Temperature	PTFE	PTFE	600	M1241	1 - 4	241
	High Temperature	PTFE	FEP	600	71801	1 - 2	242
	Solar	PVC/Nylon	PVC	600	SPM1803CY	3 - 9	290
	Xtra-Guard Standard Flex	PVC	PVC	600	65803CY	3 - 25	109
Foil + Braid	Computer	PVC	PVC	300	M5390	2 - 30	211
	Industrial Series S Servo Power	PVC	TPE	600	S61118CY	4	283
	Industrial Series SF Servo Power	PVC	TPE	600	SF61118CY	4	285
	C&C	PVC	PVC	300	2258	1 - 4	316
Spiral	Xtra-Guard Torsional Flex	TPE	PUR	600	87303CY	3 - 7	121
	Audio/Video	PVC	PVC	300	M3281	1 - 4	144, 145
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5162C	2 - 40	46
	Xtra-Guard 1	PVC	PVC	600	5522	2 - 19	48
	Xtra-Guard 2	PVC	PUR	300	25162	2 - 40	65
	Xtra-Guard 2	PVC	PUR	600	25522	2 - 9	66
	Xtra-Guard 3	PVC	PE	300	35162	2 - 15	76
	Xtra-Guard 4	TPE	TPE	300	45162	2 - 30	87
	Xtra-Guard 4	TPE	TPE	600	45522	2 - 12	88
	Xtra-Guard 5	FEP	FEP	300	55162	2 - 12	100
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	Audio/Video	PVC	PVC	300	M13081	1 - 19	133
	C&C	PVC	PVC	300	1131C	1 - 19	337
	Instrumentation	PVC	PVC	300	M9508010	1	185
	Instrumentation	PVC/Nylon	PVC	600	5606B1801	1	190
	Security/Data	PVC	PVC	300	M2215	2 - 4	158
	Xtra-Guard 1	PVC	PVC	300	5032C	2 - 12	51
	Xtra-Guard 4	TPE	TPE	300	45031	1 - 2	89
	C&C	PVC	PVC	150	2241C	1 - 19	340
Foil, Overall	C&C	PVC	PVC	300	6427	2 - 15	341
	Computer	PVC	PVC	300	M4785	2 - 19	212
	Control	PVC	PVC	300	M39140	2 - 15	183
	Fieldbus, Type A	PO	PVC	300	6459	1	295
	Instrumentation	PVC	PVC	300	M39140	2 - 15	183
	Instrumentation	PVC/Nylon	PVC	600	M9528010	1	186
	Security/Data	PVC	PVC	300	M213182	2 - 4	160
	Xtra-Guard 1	PVC	PVC	300	5373C	3 - 6	53
	Xtra-Guard 2	PVC	PUR	300	25372	2 - 12	68
	Xtra-Guard 3	PVC	PE	300	35372	2 - 6	77
	Xtra-Guard 4	TPE	TPE	300	45371	1 - 19	91
	Xtra-Guard 5	FEP	FEP	300	55371	1 - 9	102
	Audio/Video	PE	PVC	300	M13173	3 - 15	137
	C&C	PVC	PVC	300	6062C	2 - 15	353
	C&C	PP	PVC	300	6023C	3 - 9	354
	C&C	PVC	PVC	300	6442	2 - 15	355
	Control	PVC	PVC	300	M39157	2 - 15	1821
Foil, Ind. Pairs	DeviceNet, Thick and Thin	PVC/HDPE	PVC	300	6451	2	294

Cable Finder Guide

18 AWG

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Foil, Ind. Pairs	Plenum	PVC	PVC	300	M243172	2 - 3	166
	Security/Data	PVC	PVC	300	M213172	2 - 6	159
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	600	M8748020	2 - 50	189
	Instrumentation	PVC/Nylon	PVC	300	M9748020	2 - 50	197
	C&C, Mid Cap., Plenum	FEP	PVDF	150	58632	2 - 3	364
Foil + Braid	Industrial Twinax	PO	PVC	600	6450	1	299
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5132C	2 - 27	55
	Xtra-Guard 2	PVC	PUR	300	25132	2 - 12	70
	Xtra-Guard 4	TPE	TPE	300	45131	1 - 15	93
	Xtra-Guard 5	FEP	FEP	300	55131	1 - 9	103
Triads							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Triads	Page
Unshielded	Instrumentation	PVC	PVC	300	M9608010	1	191
Foil, Overall	Instrumentation	PVC	PVC	300	M9628010	1	192
	Instrumentation	PVC/Nylon	PVC	600	M8628010	1 - 24	194
	Instrumentation	PVC	PVC	300	M9708020	2 - 50	196
	Instrumentation	PVC/Nylon	PVC	600	M8848020	2 - 24	195

16 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13572	2 - 4	126
	Audio/Video	PVC	PVC	300	M3704	4 - 15	127
	Audio/Video	PVC	PVC	300	M33572	2 - 8	142
	C&C	PVC	PVC	300	1899C	2 - 4	306
	C&C	PVC	PVC	600	1064	4 - 25	308
	Computer	PVC	PVC	300	881602	2 - 10	199
	Control	PVC/Nylon	PVC	600	M3826	2 - 37	173
	Control	PVC/Nylon	PVC	600	M39057	2	176
	Control	PVC	PVC	300	M39077	2 - 3	181
	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F16003	3 - 65	277
	Industrial Series M Control	PVC/Nylon	PVC	600	M161003	3 - 65	279
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP161003	3 - 65	281
	Security/Data	PVC	PVC	300	M213572	2 - 4	156
	Solar	PVC/Nylon	PVC	1000	SPM1603	3 - 9	291
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85603	3 - 50	111
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85603CY	3 - 34	113
	Xtra-Guard Standard Flex	PVC	PVC	600	65602	2 - 50	106
	Xtra-Guard Torsional Flex	TPE	PUR	600	87403	3 - 7	120
	Xtra-Guard 1	PVC	PVC	300	5072C	2 - 50	34
	Xtra-Guard 1	PVC	PVC	600	5434	4 - 25	37
	Xtra-Guard 2	PVC	PUR	300	25072	2 - 25	59
	Xtra-Guard 2	PVC	PUR	600	25432	2 - 19	60
	Xtra-Guard 3	PVC	PE	300	35072	2 - 15	72
	Xtra-Guard 4	TPE	TPE	300	45072	2 - 25	81
	Xtra-Guard 4	TPE	TPE	600	45432	2 - 9	82
	Xtra-Guard 6	FEP	FEP	300	55072	2 - 12	96
	Audio/Video	PVC	PVC	300	M13572	2 - 4	126

Cable Finder Guide

16 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Foil, Overall	Audio/Video	PE	PVC	300	M3247	2 - 3	135
	Audio/Video	PE	PVC	300	M13247	2 - 3	150
	C&C	PE	PVC	300	2432C	2 - 3	311
	C&C, Plenum	PVC	PVC	300	58142	2 - 4	361
	Computer	PVC	PVC	300	M4720	2 - 30	203
	Control	PVC/Nylon	PVC	600	M33826	2 - 19	177
	Control	PVC/Nylon	PVC	600	M39110	2	179
	Control	PVC/Nylon	PVC	600	7616/6	6	180
	Control	PVC	PVC	300	M39119	2 - 3	184
	Plenum	PVC	PVC	300	M244834	2 - 4	162
	Plenum	FEP	FEP	300	M64834	2 - 4	165
	Security/Data	PVC	PVC	300	M113247	2 - 3	157
	Xtra-Guard 1	PVC	PVC	300	5362C	2 - 40	40
	Xtra-Guard 1	PVC	PVC	600	5440	2 - 15	43
	Xtra-Guard 2	PVC	PUR	300	25362	2 - 50	62
	Xtra-Guard 2	PVC	PUR	600	25440	2 - 15	63
	Xtra-Guard 3	PVC	PE	300	35362	2 - 25	74
	Xtra-Guard 3	PVC	PE	600	35440	2 - 12	75
	Xtra-Guard 4	TPE	TPE	300	45362	2 - 25	84
	Xtra-Guard 4	TPE	TPE	600	45440	2 - 12	85
	Xtra-Guard 5	FEP	FEP	300	55362	2 - 12	98
Braid	Audio/Video	PE	PVC	300	M1162	2 - 4	129
	Audio/Video	PVC	PVC	300	M3216	2 - 3	146
	C&C	PVC/Nylon	PVC	600	3245	1 - 4	319
	C&C	PVC	PVC	300	1748C	2 - 3	320
	C&C	Rubber	Neoprene	600	1450/16	2 - 3	327
	C&C	TFE	Fiberglass	600	2820	1 - 4	330
	C&C	PTFE	PTFE	600	2826	1 - 4	332
	Control	PVC	PVC	600	M1471	1 - 4	171
	Control	PVC	PVC	1000	M1764	4 - 27	172
	High Temperature	PTFE	PTFE	600	M1251	1 - 4	241
	High Temperature	PTFE	FEP	600	71602	2	242
	Solar	PVC/Nylon	PVC	600	SPM1603CY	3 - 9	290
	Xtra-Guard Standard Flex	PVC	PVC	600	65603CY	3 - 25	109
Foil + Braid	Computer	PVC	PVC	300	M5420	2 - 25	211
	Flexible Motor Supply	PVC/Nylon	PVC	600	5660	4	286
	Industrial Series S Servo Composite	PVC	TPE	600	S61220CY	4 + 1 pr	284
	Industrial Series S Servo Power	PVC	TPE	600	S61116CY	4	283
	Industrial Series SF Servo Composite	PVC	TPE	600	SF61220CY	4 + 2 pr	285
	Industrial Series SF Servo Power	PVC	TPE	600	SF61116CY	4	285
	Industrial Series V VFD	XLPE	PVC	600/1000	V16316/V16016	3, 4, 4 + 1 pr	286, 287
	C&C	PVC	PVC	300	2260	2 - 3	316
Spiral	Xtra-Guard Torsional Flex	TPE	PUR	600	87403CY	3 - 7	122
	Audio/Video	PVC	PVC	300	M3287	2 - 3	145
Supra-Shield Foil + Braid	Xtra-Guard 1	PVC	PVC	300	5172C	2 - 25	46
	Xtra-Guard 1	PVC	PVC	600	5532	2 - 19	49
	Xtra-Guard 2	PVC	PUR	300	25172	2 - 40	65
	Xtra-Guard 2	PVC	PUR	600	25532	2 - 19	66

Cable Finder Guide

16 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Supra-Shield Foil + Braid	Xtra-Guard 2	PVC	PUR	600	25542	2 - 12	66
	Xtra-Guard 3	PVC	PE	300	35172	2 - 15	76
	Xtra-Guard 4	TPE	TPE	300	45172	2 - 25	87
	Xtra-Guard 4	TPE	TPE	600	45532	2 - 12	88
	Xtra-Guard 5	FEP	FEP	300	55172	2 - 12	100
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Unshielded	Instrumentation	PVC	PVC	300	M9506010	1	185
	Instrumentation	PVC/Nylon	PVC	600	5606B1601	1	190
Foil, Overall	C&C	PE	PVC	600	2471	1	345
	Computer	PVC	PVC	300	M4799	2 - 6	212
	Instrumentation	PVC	PVC	300	M9526010	1	186
	Instrumentation	PVC/Nylon	PVC	600	M8526010	1 - 50	187
	Instrumentation	PVC/Nylon	PVC	300	M9746020	2 - 50	197
Foil, Ind. Pairs	C&C, Mid Cap., Plenum	FEP	PVDF	150	58642	2 - 3	364
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	600	M8746020	2 - 50	189
	Instrumentation	PVC/Nylon	PVC	300	M9746020	2 - 50	197
Foil + Braid	Industrial Series L Twinax + Data	Fluoropolymer	PVC	600	Lx61002	1 - 4 Twinax, 0 - 28 Data	300
Triads							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Triads	Page
Unshielded	Instrumentation	PVC	PVC	300	M9606010	1	191
	Instrumentation	PVC	PVC	300	M9626010	1	192
Foil, Overall	Instrumentation	PVC/Nylon	PVC	600	M8626010	1 - 24	194
	Instrumentation	PVC/Nylon	PVC	300	M9706020	2 - 50	196
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	600	M8846020	2 - 24	195

14 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13582	2 - 4	126
	Audio/Video	PVC	PVC	300	M33582	2 - 3	142
	C&C	PVC	PVC	300	1891C	2 - 3	307
	C&C	PVC	PVC	600	1274	4 - 12	308
	Computer	PVC	PVC	300	881403	3 - 5	199
	Control	PVC/Nylon	PVC	600	M3845	2 - 37	174
	Control	PVC/Nylon	PVC	600	M39058	2	176
	Control	PVC	PVC	300	M39079	2 - 3	181
	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F14004	4 - 12	278
	Industrial Series M Control	PVC/Nylon	PVC	600	M141004	4 - 25	280
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP141004	4 - 25	282
	Solar	PVC/Nylon	PVC	1000	SPM1403	3 - 9	291
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85403	4 - 7	111
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85404CY	4 - 7	113
	Xtra-Guard Standard Flex	PVC	PVC	600	65402	2 - 50	107
	Xtra-Guard Torsional Flex	TPE	PUR	600	87503	3 - 7	120
	Xtra-Guard 1	PVC	PVC	600	5442	2 - 25	37
	Xtra-Guard 2	PVC	PUR	600	25442	2 - 12	60
	Xtra-Guard 4	TPE	TPE	600	45442	2 - 7	82

Cable Finder Guide

14 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Foil, Overall	Audio/Video	PE	PVC	300	M3249	2	135
	Audio/Video	PE	PVC	300	M13249	2	150
	C&C	PE	PVC	300	2442C	2	312
	Control	PVC/Nylon	PVC	600	M33845	2 - 19	177
	Control	PVC/Nylon	PVC	600	M39111	2	179
	Control	PVC/Nylon	PVC	600	7614/6	6	180
	Control	PVC	PVC	300	M39121	2 - 3	184
	Xtra-Guard 1	PVC	PVC	600	5450	2 - 12	43
	Xtra-Guard 2	PVC	PUR	600	25450	2 - 15	63
	Xtra-Guard 3	PVC	PE	600	35450	2 - 12	75
	Xtra-Guard 4	TPE	TPE	600	45450	2 - 15	85
Braid	Audio/Video	PVC	PVC	300	M33218	2 - 3	147
	C&C	PVC	PVC	300	1750	2 - 3	321
	C&C	TFE	Fiberglass	600	2804/2	1 - 2	330
	Solar	PVC/Nylon	PVC	600	SPM1403CY	3 - 9	290
	Xtra-Guard Standard Flex	PVC	PVC	600	65403CY	3 - 18	109
Foil + Braid	Flexible Motor Supply	PVC/Nylon	PVC	600	5661	4	286
	Industrial Series S Servo Composite	PVC	TPE	600	S61221CY	4 + 1 pr	284
	Industrial Series S Servo Power	PVC	TPE	600	S61114CY	4	283
	Industrial Series SF Servo Composite	PVC	TPE	600	SF61221CY	4 + 2 pr	285
	Industrial Series SF Servo Power	PVC	TPE	600	SF61114CY	4	285
	Industrial Series V VFD	XLPE	PVC	600/1000	V16314/V16014	3, 4, 4 + 1 pr	286, 287
Spiral	Xtra-Guard Torsional Flex	TPE	PUR	600	87503CY	3 - 7	122
Supra-Shield Foil + Braid	Audio/Video	PVC	PVC	450	M3289	2 - 3	145
	Xtra-Guard 1	PVC	PVC	600	5542	2 - 19	49
	Xtra-Guard 4	TPE	TPE	600	45542	2 - 9	88

Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Foil, Overall	C&C	PE	PVC	600	2472	1	345
	Instrumentation	PVC	PVC	300	M9524010	1	184
	Instrumentation	PVC/Nylon	PVC	600	M8524010	1 - 50	188
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	600	M8744020	2 - 50	189

Triads							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Triads	Page
Foil, Overall	Instrumentation	PVC	PVC	300	M9624010	1	192
	Instrumentation	PVC/Nylon	PVC	600	M8624010	1 - 24	194
Foil, Overall and Ind. Pairs	Instrumentation	PVC/Nylon	PVC	600	M8844020	2 - 24	195

12 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Audio/Video	PVC	PVC	300	M13590	2	126
	Audio/Video	PVC	PVC	300	M33590	2 - 3	142
	C&C	PVC	PVC	300	1892C	2 - 3	307
	Computer	PVC	PVC	300	881202	2 - 3	199
	Control	PVC/Nylon	PVC	600	M3865	2 - 37	174

Cable Finder Guide

12 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Control	PVC/Nylon	PVC	600	M39059	2	176
	Control	PVC	PVC	300	M39081	2	181
	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F12004	4 - 7	278
	Industrial Series M Control	PVC/Nylon	PVC	600	M121004	4 - 7	280
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP121004	4 - 7	282
	Solar	PVC/Nylon	PVC	1000	SPM1203	3 - 9	291
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85204	4 - 7	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85204CY	4 - 7	114
	Xtra-Guard Standard Flex	PVC	PVC	600	65203	3 - 7	107
	Xtra-Guard Torsional Flex	TPE	PUR	600	87603	3 - 7	120
Foil, Overall	Audio/Video	PE	PVC	300	M3250	2	135
	Audio/Video	PE	PVC	300	M13250	2	150
	C&C	PE	PVC	300	2444C	2	312
	Control	PVC/Nylon	PVC	600	M33865	2 - 19	178
	Control	PVC/Nylon	PVC	600	M39112	2	179
Braid	Control	PVC	PVC	300	M39123	2	184
	Audio/Video	PVC	PVC	300	M33220	2 - 3	147
	C&C	PVC	PVC	300	1760	2 - 3	321
	C&C	TFE	Fiberglass	600	2803/2	2	330
	Solar	PVC/Nylon	PVC	600	SPM1203CY	3 - 9	290
Foil + Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65203CY	3 - 5	110
	Flexible Motor Supply	PVC/Nylon	PVC	600	5662	4	286
	Industrial Series S Servo Composite	PVC	TPE	600	S61222CY	4 + 1 pr	284
	Industrial Series S Servo Power	PVC	TPE	600	S61112CY	4	283
	Industrial Series SF Servo Composite	PVC	TPE	600	SF61222CY	4 + 2 pr	285
Spiral	Industrial Series SF Servo Power	PVC	TPE	600	SF61112CY	4	285
	Industrial Series V VFD	XLPE	PVC	600/1000	V16312/ V16014	3, 4, 4 + 1 pr	286, 287
Spiral	Xtra-Guard Torsional Flex	TPE	PUR	600	87603CY	3 - 7	122
Multipair							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Pairs	Page
Foil, Overall	C&C	PE	PVC	600	2473	1	345
	Instrumentation	PVC	PVC	300	5610B1201	1	184
	Instrumentation	PVC/Nylon	PVC	600	5616B1201	1	188

10 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Control	PVC/Nylon	PVC	600	M39024	2 - 15	175
	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F10004	4 - 7	278
	Industrial Series M Control	PVC/Nylon	PVC	600	M101004	4 - 7	280
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP101004	4 - 7	282
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85104	4 - 7	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85104CY	4 - 7	114

Cable Finder Guide

10 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Xtra-Guard Standard Flex	PVC	PVC	600	65103	3 - 5	107
	Xtra-Guard Torsional Flex	TPE	PUR	600	87703	3 - 7	120
Foil, Overall	Control	PVC/Nylon	PVC	600	M33902	2 - 12	178
Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65103CY	3 - 7	110
Foil + Braid	Flexible Motor Supply	PVC/Nylon	PVC	600	5663	4	286
	Industrial Series S Servo Composite	PVC	TPE	600	S61223CY	4 + 1 pr	284
	Industrial Series S Servo Power	PVC	TPE	600	S6110CY	4	283
	Industrial Series SF Servo Composite	PVC	TPE	600	SF61223CY	4 + 2 pr	285
	Industrial Series SF Servo Power	PVC	TPE	600	SF6110CY	4	285
	Industrial Series V VFD	XLPE	PVC	600/1000	V16310/V16012	3, 4, 4 + 1 pr	286, 287
Spiral	Xtra-Guard Torsional Flex	TPE	PUR	600	87703CY	3 - 7	122

8 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Industrial Series F Continuous Flex	PVC/Nylon	TPE	600	F08004	4	278
	Industrial Series M Control	PVC/Nylon	PVC	600	M081004	4-5	280
	Industrial Series P Stationary Control	PVC/Nylon	TPE	600	MP081004	4 - 7	282
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85904	4	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85904CY	4	114
	Xtra-Guard Standard Flex	PVC	PVC	600	65904	4 - 5	107
Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65904CY	4	110
Foil + Braid	Flexible Motor Supply	PVC/Nylon	PVC	600	5664	4	286
	Industrial Series S Servo Composite	PVC	TPE	600	S61224CY	4 + 1 pr	284
	Industrial Series S Servo Power	PVC	TPE	600	S61108CY	4	283
	Industrial Series SF Servo Composite	PVC	TPE	600	SF61224CY	4 + 2 pr	285
	Industrial Series Sf Servo Power	PVC	TPE	600	SF61108CY	4	285
	Industrial Series V VFD	XLPE	PVC	600/1000	V16308/V16008	3, 4, 4 + 1 pr	286, 287

6 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85704	4	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85704CY	4	114
	Xtra-Guard Standard Flex	PVC	PVC	600	65704	4 - 5	108
Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65704CY	4	110
Foil + Braid	Flexible Motor Supply	PVC/Nylon	PVC	600	5665	4	286
	Industrial Series V VFD	XLPE	PVC	600/1000	V16306/V16006	3, 4, 4 + 1 pr	286, 287

Cable Finder Guide

4 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85504	4	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85504CY	4	114
	Xtra-Guard Standard Flex	PVC	PVC	600	65504	4 - 5	108
Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65504CY	4	110
Foil + Braid	Industrial Series V VFD	XLPE	PVC	600/1000	V16304/ V16004	3, 4, 4 + 1 pr	286, 287

2 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Unshielded	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85304	4	112
	Xtra-Guard Continuous Flex, Control	PVC	PVC	600	85304CY	4	114
	Xtra-Guard Standard Flex	PVC	PVC	600	65304	4 - 5	108
Braid	Xtra-Guard Standard Flex	PVC	PVC	600	65304CY	4	110
Foil + Braid or Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16302/ V16002	3, 4, 4 + 1 pr	286, 287

1 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16001	3	286

1/0 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16000	3	286

2/0 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16020	3	286

3/0 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16030	3	286

4/0 AWG

Multiconductor							
Shielding	Type	Insulation	Jacket	Voltage	Part No. (Typ)	Conductors	Page
Tape	Industrial Series V VFD	XLPE	PVC	600/1000	V16040	3	286

Industry Standards Cross-Reference

Specification	Page	Specification	Page	Specification	Page
A-A-52080 Type 1	504	CSA 198	446-452, 454-455, 463-464, 471, 473, 483	MIL-DTL-16878/6	395
A-A-52081	505	CSA 5836 01	500-501	MIL-DTL-22759/11	400
A-A-52084	506	CSA AWM I A/B	392, 409-412	MIL-DTL-22759/16	400
A-A-59163	498	CSA AWM I A/B FT1	376-379, 388, 391, 415, 425-427	MIL-DTL-713 Type P	506
A-A-59551	508	CSA AWM I A/B FT2	393, 403	MIL-I-22129	492
A-A-59569	509-510	CSA AWM I/II A	294	MIL-I-3190/2 CLASS	494
A-A-59569A	507	CSA AWM I/II A/B FT1	58-70, 80-93, 106-114, 283-284, 290-291, 307	130 Type B Cat b	
ABYC	425-426	CSA AWM I/II A/B FT4	36-37, 42-43, 48-49, 115-122, 198-200, 204, 277-282, 285-288, 312	MIL-I-3190/3 Grade C1	493
AMS 3655	491	CSA AWM SEW-2	405	MIL-I-3190/6 Class 20	495
AMS DTL-23053/1 Class 1	460	CSA AWM SEWF-2	405	Type D Cat C	
AMS DTL-23053/1 Class 2	460	CSA C22.2 No. 21	243-251	MIL-I-631	488-450
AMS DTL-23053/11 Class 1	457	CSA C22.2 No. 227.3-05	484	MIL-I-631D	503
AMS DTL-23053/12 Class 3	459	CSA C22.2 No. 49	244-251, 254-256, 260-261	MIL-I-631D Form U	483
AMS DTL-23053/13	462	CSA CL 1251 XLPE	390, 392-393	MIL-I-631D Grade C	483
AMS DTL-23053/15 Class 1	469	CSA CL 1252 XLPE	390	MIL-I-631D Subform Ua	483
AMS DTL-23053/15 Class 2	470	CSA CM	125-126, 134-137, 152, 216-218, 295-296, 298	MIL-I-631D Type F	483
AMS DTL-23053/18 Class 1	467	CSA CM FT1	359	MIL-S-47053	502
AMS DTL-23053/2 8	456	CSA CM FT4	210, 215	MIL-STD-202C	497
AMS DTL-23053/2 Class 1	446	CSA CMG	115-118, 138, 153-155, 181-184	MIL-STD-202F Method 215J	471
AMS DTL-23053/4 Class 1	453	CSA CMG FT1	298	MIL-T-43435B Type 1	504
AMS DTL-23053/4 Class 2	464	CSA CMG FT4	32-35, 38-40, 41, 44-47, 50-56, 132-133, 140-147, 151, 185-186, 191-193, 196-197, 201-203, 205-209, 211-214, 219, 293-294, 297, 299, 303-306, 310-311, 313-315, 320-321, 333-335, 337-342, 347-348, 351-355, 357-358, 367	MIL-W-16878/14 (Type E)	241
AMS DTL-23053/4 Class 3	454	CSA CMH FT1	336, 343-344, 349-350	MIL-W-16878/4 (Type E)	240, 242
AMS DTL-23053/5 Class 1	447-450, 455, 458, 473	CSA CMP	166, 168-169	MIL-W-76 Type HW	381
AMS DTL-23053/5 Class 2	447-449	CSA CMP FT4	362	MIL-W-76 Type LW	380
AMS DTL-23053/5 Class 3	450, 455	CSA CMP FT6	95-103, 161-165, 167, 300-361, 363-364	MIL-W-76 Type MW	386
AMS DTL-23053/6 Class 1	452	CSA CMR	156-160	MIL-W-76 Type MWP	385
AMS DTL-23053/6 Class 2	452	CSA FT2	251, 254	MIL-Y-1140	496
ANSI C119.1	463	CSA REW XLPVC FT1	389	MSHA P-07-KA070017-MSHA	80-93
ANSI J-STD-004	475	CSA RW90	413	MVSS 302	465
ANSI J-STD-006	475	CSA SEW-2	404	NAS 1745	475
ASTM B33	418	CSA SEWF-2	404	NEC Class 1, Div 2	80-86, 88-90, 92
ASTM D 1000, Method 303	497	CSA TEW-105	378-379, 425-427	NEMA Accepted	264-265
ASTM D 3295-81a Type 1, Class B	491	CSA TR-64 FT1	376	NEMA HP3	240-241, 338-329, 331-332, 395-399
ASTM D 3295-81a Type 1, Class C	492	C-Tick	252	NEMA TF-1	493
ASTM D 350/372 Class C	496	ENEC-11	252	NEMA TF-1 Grade A	494-495
ASTM D922	483	IECEA Accepted	264-265	NEMA WC27500 Type RC	238
AWM 1108	316	IEC 60332-1	303-304, 414	NEMA WC27500 Type TE	239
AWM 2095	316	IEC 60754-1	303-304, 414	Pennsylvania MHSA	286-287
CE LVD 73/23/EEC	277-280, 286-287	IEC 60754-2	414	SAA	253
CE LVD 73/68/EEC	283-284	IEC 61034-2	303-304	SAE AS22759/11	238, 400
CE LVD 93/68/EEC	277-284	ISA MC 96.1	268-271	SAE AS22759/16	239, 400
CID A-A-59301	502	JET	252	SAE J1127 Type SGT	425
CID AA-59551 Type S	418	MIL DTL-16878/4	329, 331-332	SAE J1128	427
CLEAN UP P489 TBL SPECS	489-490	MIL-DTL-16878/1	170, 309, 317, 322, 380, 388, 391, 416	SAE J1128 Type GPT	424, 426, 432, 435-436
CMG	153-155	MIL-DTL-16878/17	170-171, 318-319, 384	SAE J1128 Type GXL	394
CMG FT4	125-126	MIL-DTL-16878/18	172	SAE J1128 Type HDT	432
Coast Guard	425-426	MIL-DTL-16878/2	172, 323, 382, 389-390, 417	SAE J378 Type GPT	436
CSA	252	MIL-DTL-16878/3	387	SAE J378B	424-426, 432, 435
		MIL-DTL-16878/4	328, 330, 390, 396-397	SJ	244-245, 247-248, 256
		MIL-DTL-16878/5	398-399	SJO	254, 260-262
				SJT	243-246, 249-251, 255
				SO	254, 260-261
				SPT-1	247-248
				SV	256
				SVO	254, 260-262
				SVT	244-250, 255
				T-Mark	252
				TUV 2 PFG 1169	414
				Type W	264-265
				UL 1000V	286-287
				UL 1422	401

Industry Standards Cross-Reference

Specification	Page	Specification	Page	Specification	Page
UL 1423	401	UL AWM 2464 VW-1	32-34, 38-40, 44-46, 50-55, 315, 333, 335, 339, 347-348	UL CM	32-36, 38-41, 44-47, 50-56, 115-118, 125-126, 128-131, 134-138, 152-155, 210, 215-218, 295-296, 305-306, 310, 313-315, 320-321, 335-340, 342-344, 348, 350, 352, 355, 357-359, 367
UL 1441	465, 494-496	UL AWM 2490	367	UL CMG	125-126, 132-133, 140-145, 151, 153-155, 181-184, 201-203, 205-209, 211-214, 219, 241, 294, 297-299, 311, 354
UL 1516	401	UL AWM 2493	136-137, 215, 367	UL CMP	95-103, 161-162, 164-169, 360-364
UL 1523 VW-1	401	UL AWM 2493 VW-1	359	UL CMR	156-160, 163, 293
UL 1696	484	UL AWM 2501 VW-1	36, 42-43, 48-49	UL CMW VW-1	303-304
UL 224	447-449, 453-454, 471, 473, 501	UL AWM 2509	125-126, 141-143	UL Direct Burial	173-180, 187-190, 194-195, 279-280, 286-287, 290-291, 300-301
UL 224 VW-1	446, 450-452, 455-456, 458, 464, 466-467, 483, 488	UL AWM 2509 VW-1	306	UL ITC	181-186, 191-192, 196-197, 270-271, 295, 299
UL 2919	218	UL AWM 2555	417	UL MTW	36, 42-43, 48-49, 279-280, 288, 290-291, 378-379
UL 449	473	UL AWM 2576	125-126, 132-133, 141-143, 153-155	UL Oil Res. I	290-291, 300-301, 425-432
UL 4703 PV VW-1	413-414	UL AWM 2576 VW-1	305, 309, 314, 337, 340	UL Oil Res. I/II	277-282, 285
UL 486	463	UL AWM 2587	106-114	UL PLTC	80-81, 83-84, 86-87, 89-93, 181-186, 191-193, 196-197, 270-271, 277-282, 296-299, 341, 355
UL 510	497	UL AWM 2598	125-126	UL PLTC-ER	294-295
UL 62	244-251, 254-256, 260-262	UL AWM 2651	368	UL RHW-2	286-287
UL 817	244-251, 262	UL AWM 2661	115-118	UL SF-2	404
UL AWL 2960 VW-1	349	UL AWM 2668 VW-1	367	UL SFF-2	404
UL AWM 1007	376	UL AWM 2678 VW-1	372	UL SIS	392-393
UL AWM 1015	378-379	UL AWM 2713	416	UL Standard 817	243
UL AWM 1015 VW-1	426	UL AWM 2717	153-155	UL Sunlight Resistant	173-197, 277-282, 287, 290-291, 293-297, 299-301, 341, 413-414
UL AWM 1028	378-379, 427	UL AWM 2785 VW-1	310	UL TC	81-82, 85, 88, 173-180, 187-190, 194-195, 298-299
UL AWM 1061	214	UL AWM 2912	370	UL TC-ER	277-282, 285-288, 290-291, 300-301
UL AWM 1061 VW-1	377	UL AWM 2919	136-137, 210, 216	UL TFFN	277-278, 281-282, 383
UL AWM 1081	376	UL AWM 2919 VW-1	334, 346, 342-344, 350-353, 357	UL TFN	383
UL AWM 11028 VW-1	415	UL AWM 2943 VW-1	354	UL THHN	277-278, 281-282, 383
UL AWM 1108	144-145, 320-321	UL AWM 2960	218	UL THW	378-379
UL AWM 1180	398	UL AWM 3070	404	UL THWN	383
UL AWM 1213	397	UL AWM 3071	404	UL TW	378-379
UL AWM 1230	378-379, 426	UL AWM 3074	404	UL Type CL2	370
UL AWM 1231	378-379	UL AWM 3075	404	UL USE-2	414
UL AWM 1232	378-379	UL AWM 3101	405	UL UZKX2	499-501
UL AWM 1283	378-379	UL AWM 3173	392	UL VW-1	170-172, 279-280, 336, 341, 355, 382, 387, 395-396, 399, 407, 427-432, 434, 494, 496, 499-500, 503
UL AWM 1283 VW-1	425	UL AWM 3195	392-393	UL WTTTC	81-82, 85, 88, 285-288, 290-291
UL AWM 1284 VW-1	378-379	UL AWM 3196	392	UL XHHW-2	474
UL AWM 1429	388	UL AWM 3212	403	UL ZMVV	313
UL AWM 1430	389	UL AWM 3213	403	UL VW-1	313
UL AWM 1569 VW-1	376	UL AWM 3214	403		
UL AWM 20184 VW-1	371	UL AWM 3231	405		
UL AWM 20201	297	UL AWM 3239	406, 408		
UL AWM 20229	95-103	UL AWM 3265 VW1	391		
UL AWM 20234	119-122	UL AWM 3266 VW-1	390		
UL AWM 20237	80-81, 83-84, 86-87, 89-93	UL AWM 3271 VW-1	390		
UL AWM 20238	81-82, 85, 88	UL AWM 3278	405		
UL AWM 20381	369	UL AWM 4182	257-258		
UL AWM 20626	283-284	UL AWM 4194	259		
UL AWM 20668 VW-1	58-59, 61-62, 64-65, 67-70	UL AWM 4195	259		
UL AWM 2092	128-131, 134-135, 311	UL AWM 4196	259		
UL AWM 2093	128-131, 134-135, 311	UL AWM 4197	259		
UL AWM 20932 VW-1	368	UL AWM 4198	259		
UL AWM 2094	128-131, 134-135, 153-155	UL AWM 5107	409		
UL AWM 2094 VW-1	311	UL AWM 5127	412		
UL AWM 2095	140, 144-147	UL AWM 5196	410-411		
UL AWM 2095 VW-1	320	UL AWM 5251	411		
UL AWM 20952 VW-1	60, 63, 66	UL AWM I/II A/B FTI	119-122		
UL AWM 2106 VW-1	345	UL BC-5W2	425-432, 434, 437		
UL AWM 2343	201, 204, 209, 214, 217	UL CL2	125-126, 134-135, 141-142, 198-200, 204, 294, 307, 312, 333-334, 347, 349, 351, 353, 369		
UL AWM 2343 VW-1	35, 41, 47, 56	UL CL2P	360-364		
UL AWM 2463	125-126	UL CL2R	293		
UL AWM 2463 VW-1	127, 308	UL CL3	125-126, 185-186, 192, 196-197		
UL AWM 2464	125-126, 132-133, 136-137, 143, 146-151, 198-200, 202-203, 205-208, 211-213, 219, 257-258, 338	UL CL3R	157		

The Products You Can Trust

Alpha Wire offers a complete portfolio of exceptionally reliable wire, cable, tubing, and accessories.

Count on us for the great service and quality we're famous for, as well as a renewed dedication to new products. You will see the addition of new wire, cable, and accessories to our nine product families. Additionally, we will

be providing solution sets for vertical markets, such as wind power and packaging, to help you select the best Alpha Wire products for the specific needs of your customers or your application.

Xtra-Guard® Performance Cable



Hook-Up Wire



FIT® Heat-Shrink Tubing




Manhattan Electrical Cables



Dearborn™ Marine



FIT Wire Management



Communication, Control & Industrial Cable



Kerrigan-Lewis Specialty Wire



FIT Wire Accessories



Xtra-Guard Performance Cable

Known for both premium performance and system reliability, Xtra-Guard cable is available in several performance grades to give you the best match between cost and environmental and mechanical performance.

- **Xtra-Guard 1** – High-performance in a tough PVC cable
- **Xtra-Guard 2** – Abrasion resistant to withstand mechanical abuse
- **Xtra-Guard 3** – Direct burial cable; no conduit needed
- **Xtra-Guard 4** – Extreme temperatures; handles hot, cold, spills
- **Xtra-Guard 5** – Chemical and temperature resistant to withstand the most hazardous environments
- **Xtra-Guard Flex** – Long-lasting cables rated up to 14 million flex cycles

Manhattan Electrical Cables

Alpha Wire's Manhattan brand has been a trusted and reliable source of cable for over 60 years. Whether you need something as simple as a power cord or a cable that can maintain audio-video signal integrity in a noisy environment, you'll find the breadth and depth of products to ensure an optimum solution to your application.

- Audio/video
- Computer
- Instrumentation
- Thermocouple
- Control
- Plenum
- Coaxial
- Cords/cordsets
- High temperature
- Security & data

Communication, Control & Industrial Cable



The broad range of communication and control cables from Alpha Wire means you can easily find the right cable for your application. Our cables meet special needs, such as low capacitance cables for extended transmission of digital signals, the extra flexibility of rubber insulation and jackets, or excellent shielding for electrically noisy environments.

- Communication & control
- Low smoke, zero halogen
- Solar
- Industrial automation
- Industrial Series F
- Industrial Series L
- Industrial Series M
- Industrial Series P
- Industrial Series S & SF
- Industrial Series V
- Flat cable

Hook-Up Wire

The broad range of hook-up wire from Alpha means you will find the product exactly suited to your application—whether it's as straightforward as a control cabinet in a protected environment or as specialized as a machine tool on the factory floor, a high-temperature oven, or off-road construction equipment. With a broad range of insulation and wire of types available, we have everything you need to hook up anything.

- Hook-up wire
- Dearborn bulk hook-up wire
- Bus bar
- Ribbon cable

Dearborn Marine

Alpha Wire covers the full spectrum of marine applications. From wiring of engines, batteries, and bilge pumps to cables for communications, instrumentation, and electronics, you will find the exact wire or cable you need. Cables are color-coded to meet boating-industry standards, and specifications ensure regulatory compliance and seaworthiness.

- Marine wire
- Marine cable
- Marine heat-shrink tubing

Kerrigan-Lewis Specialty Wire



Kerrigan-Lewis specialty wire gives exacting performance in transformers, motor windings, and similar applications. From expertise in fine copper and insulations to an exact understanding of your most rigorous application requirements, Alpha can help you increase efficiency, reduce size, and achieve higher levels of productivity. Our specialty wire is available in the lowest minimum order levels in the industry.

- Litz wire
- Resistance wire

FIT® Heat-Shrink Tubing

Our FIT heat-shrink tubing offers a reliable way to protect and seal terminations, make repairs, or add additional mechanical ruggedness. Whether your concerns are mechanical strain relief, environmental sealing, or organizing wires, our FIT heat-shrink tubing is ideal for solving many challenges in electrical and electronic wiring.

- Shrink ratios from 2:1 to 6:1
- Cross-linked materials
- Shrink temperatures from 90°C to 250°C
- Special shapes, such as endcaps, boots, and crimp sleeves
- Dual-wall constructions with inner adhesive lining for additional sealing
- Choice of standard and custom colors



FIT Wire Management

Bringing order to wire harnesses and cable routing means a system that is more reliable, easier to fabricate, and simpler to maintain. Organize, shield, and route cable assemblies and harnesses with our complete line of FIT wire management products in applications such as harnesses, routing, organizing, shielding, and grounding.

- Sleeving
- Tubing
- Braid
- Lacing tape
- EMI tape

FIT Wire Accessories

From variable-setting heat guns for FIT tubing to our full range of wire management accessories, we can help you complete any installation reliably and neatly.

- Heat guns
- Connectors


Customs and Specials

Our capabilities go well beyond our cataloged parts. If you don't find what you need, visit our online Cable Design Center® or give us a call to discuss your needs for:

- Custom designs
- Specials
- Unique packaging
- Legacy products

Xtra-Guard Shielding Options

Alpha Wire offers Xtra-Guard® cables in three shielding options to handle virtually any electrical environment.



Unshielded

Unshielded cables provide the smallest cable diameter for use in low-noise controlled environments.

Foil shielded

Foil-shielded cables use a sturdy aluminum/polyester shield for moderate EMI needs, especially at lower frequencies. A tinned copper drain wire makes grounding the cable easy. Foil shields allow lighter weights and smaller cables.




Triple-Laminate Foil with 25% Overlap

Supra-Shield® (premium foil/braid) shielded

Alpha's exclusive Supra-Shield cables combine a triple-layer aluminum/polyester/aluminum foil with a tinned copper braid shield with tight 75% coverage. Supra-Shield offers exceptional EMI performance and flexibility to protect against noise and maintain overall system integrity. The combination of foil and braid offers better shielding effectiveness than either approach alone against both low- and high-frequency noise.

Shielding for flex cables

Our high-flex shielding options include a double-jacket configuration with 85% braid coverage to achieve high shielding effectiveness while maintaining the desired flexibility. For torsional flex applications, we offer spiral wound shielding with 90% coverage.



Double Jacket For Outstanding Flexing Performance

The Service You Deserve

We have applied our expertise to creating service that equals our products. Nobody works harder or more diligently to make sure you get the cable you want, when you need it, backed by the service you deserve.

Logistics that defy logic

Need cable tomorrow? No problem. We maintain a large inventory and offer same-day shipping. Order today and receive your order tomorrow in many locations. Alpha Wire goes one step further: manufacturing custom cables to meet unique applications—offering specific conductor counts, shielding options, jacket materials, and versatile product designs. Our custom cable orders are often shipped in less than a week, once again giving you products with more convenience and less delay.

Small put-ups: get what you need

We're geared to ship in small put-ups or large. With Alpha, you don't have to buy more cable than you need because of high minimum order requirements.

Global reach

Encompassing more than 20,000 products and 9 product families available worldwide through more than 1500 distributor locations, Alpha delivers the industry's widest range and largest inventory of wire, cable, and tubing products.



Application expertise

We understand your applications, from the needs of a machine tool cable to withstand coolants and extreme temperatures to the requirements of a wind turbine where robust reliability eliminates service calls.

We've helped companies successfully deploy applications in the frozen tundra, aboard wind- and water-swept offshore drilling rigs, and in the pristine environment of a semiconductor cleanroom.



Online selection made easy

Our new website makes finding the right cable easier than ever. The site's intuitive navigation helps you quickly find the right cable, along with dimensional, material, and performance specifications. Our online Cable Design Center® lets you build the perfect cable for your application. Plus you can easily build your own catalog and order samples of our products.


Your standards are our standards

We rigorously test our cable to prevailing industry standards. Our cables are approved by such major agencies as UL, CSA, CE, and VDE.

Make Alpha Wire your first choice for reliable performance

We're all about performance—high-performance products and service without compromise or excuse. Whether you're building new products or engaged in MRO, there is no better place to start your search than Alpha Wire. And once you have experienced the Alpha difference, we will become the only source you need.

Get the Alpha Wire Advantage



Working closely with industry experts during our 85 year history provides us with the insights and expertise to provide the right wire, cable, and tubing products for your application. Better still, we make it easy with our legendary commitment to service.

Even as our product line has expanded and evolved to meet the needs of new markets and application needs, one thing has remained constant: Alpha's dedication to uncompromising service. We are committed to being your most responsive and easiest to work with supplier.



- Market-specific product solution sets for superior performance and reliability
- Well-earned reputation for high-quality, premium-grade products
- Industry's widest range and largest inventory of wire, cable, and tubing products
- Superior logistics, including same-day shipping
- Fast-turn manufacturing of custom configurations
- Flexible ordering, including small and large put-ups
- Convenient availability through global reach of 3500 distributor locations worldwide
- Unrelenting dedication to making sure you find the right cable to fit your needs
- Online Cable Design Center® and extensive selection tools to find the right cable or spec a new one

Connect with Alpha Wire

Make the connection with reliable, high-performance wire, cable, tubing, and accessories from Alpha Wire. With our catalog, online resources, authorized distributor network, and Alpha R&D and engineering experts available to you, getting the right Alpha products for your applications is easier than ever—no matter where and when you need them.

Global Headquarters

(North America, South America, Africa, & Asia)

Alpha Wire

711 Lidgerwood Avenue
Elizabeth, NJ 07207-0711
Toll Free: 1-800-52 ALPHA
Tel: 1-908-925-8000
Fax: 1-908-925-6923
E-mail: info@alphawire.com

European Headquarters

(Europe & Middle East)

Alpha Wire International

Sunbury Int'l Business Centre
Brooklands Close
Windmill Road Sunbury-on-Thames, Middlesex
United Kingdom, TW16 7DX
Tel: +44 (0) 800 288 8809
Fax: +44 (0) 1932 772433
E-mail: europe@alphawire.com

Visit us at www.alphawire.com

Xtra-Guard® Performance Cable

Ultimate performance in extreme environments

