


Patch cords and work area cords (data)



ELine 1200® EC7 patch cord/work area cord

ELine 1200® EC7 patch cord/work area cord

ELine 1200® EC7 patch cord/work area cord

Product description:

- 4P (7KS01189), light grey – RAL 7035
- A end equipped with 4-pair EC7 plug
- B end equipped with 4-pair EC7 plug
- Assignment: 1/1
- Colour of bending protection sleeve EC7/EC7: yellow
- Application: Gigabit Ethernet

Product description:

- 4P (7KS01189), light grey – RAL 7035
- A end equipped with 4-pair EC7 plug
- B end equipped with RJ45 plug
- Assignment EC7-RJ45
- Colour of bending protection sleeve EC7/RJ45: yellow
- Application: Gigabit Ethernet

Product description:

- 4P (7KS01189), light grey – RAL 7035
- A end equipped with 4-pair EC7 plug
- Colour of bending protection sleeve EC7/RJ45: yellow
- B end without components (for self-mounted RJ45 plug etc.)

Article number: 9KEC1010

Article number: 9KEC2010

Article number: 9KEC0010

9KEC1020

9KEC2020

9KEC0020

9KEC1030

9KEC2030

9KEC0030

9KEC1050

9KEC2050

9KEC0050

Pcs. per packing unit: 1

Pcs. per packing unit: 1

Pcs. per packing unit: 1



ELine 1200® EC7 patch cord/work area cord



ELine 1200® EC7 patch cord/work area cord

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end equipped with 2-pair EC7 plug
- Colour of bending protection sleeve: light grey, RAL 7035

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end unterminated (for self-mounted RJ45 plug etc.)
- Colour of bending protection sleeve: light grey, RAL 7035

Article number: 9KE01005 – 0.5 m

Article number: 9KE02005 – 0.5 m

9KE01010 – 1.0 m

9KE02010 – 1.0 m

9KE01020 – 2.0 m

9KE02020 – 2.0 m

9KE01030 – 3.0 m

9KE02030 – 3.0 m

9KE01050 – 5.0 m

9KE02050 – 5.0 m

Pcs. per packing unit: 1

Pcs. per packing unit: 1

Patch cords and work area cords (data)



ELine 1200® EC7 patch cord/work area cord



ELine 1200® EC7 patch cord/work area cord

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end equipped with RJ45 plug
- Assignment RJ45: 1/2, 3/6
- Colour of bending protection sleeve EC7/RJ45: yellow
- Sticker: **Crossover**
- Application: Ethernet crossover

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end equipped with RJ45 plug
- Assignment RJ45: 1/2, 3/6
- Colour of bending protection sleeve EC7/RJ45: yellow
- Application: Ethernet

Article number: 9KE31005 – 0.5 m

Article number: 9KE03005 – 0.5 m

9KE31010 – 1.0 m

9KE03010 – 1.0 m

9KE31020 – 2.0 m

9KE03020 – 2.0 m

9KE31030 – 3.0 m

9KE03030 – 3.0 m

9KE31050 – 5.0 m


9KE03050 – 5.0 m

Pcs. per packing unit: 1

Pcs. per packing unit: 1



ELine 1200® EC7 patch cord/work area cord



ELine 1200® EC7 patch cord/work area cord

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end equipped with RJ45 plug
- Assignment RJ45: 1/2, 3/6
- Colour of bending protection sleeve EC7/RJ45: blue
- Application: Token Ring

Product description:

- 2P (7KS01068), light grey, RAL7035
- A end equipped with 2-pair EC7 plug
- B end equipped with RJ45 plug
- Assignment RJ45: 1/2, 3/6
- Colour of bending protection sleeve EC7/RJ45: green
- Application: ATM and TP-PMD

Article number: 9KE04005 – 0.5 m

Article number: 9KE05005 – 0.5 m

9KE04010 – 1.0 m

9KE05010 – 1.0 m

9KE04020 – 2.0 m

9KE05020 – 2.0 m

9KE04030 – 3.0 m

9KE05030 – 3.0 m

9KE04050 – 5.0 m

9KE05050 – 5.0 m


Pcs. per packing unit: 1

Pcs. per packing unit: 1

Patch cords and work area cords (telephone)



ELine 1200® EC7 patch cord/work area cord



ELine 1200® EC7 patch cord/work area cord

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- B end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- Application: analog and digital telecommunication systems

Article number: 9KE74005 – 0.5 m

9KE74010 – 1.0 m

9KE74020 – 2.0 m

9KE74030 – 3.0 m

9KE74050 – 5.0 m

Pcs. per packing unit: 1

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- B end unterminated (for self-mounted RJ11 plug etc.)
- Application: analog and digital telecommunication systems

Article number: 9KE75005 – 0.5 m

9KE75010 – 1.0 m

9KE75020 – 2.0 m

9KE75030 – 3.0 m

9KE75050 – 5.0 m

Pcs. per packing unit: 1



ELine 1200® EC7 patch cord/work area cord



ELine 1200® EC7 patch cord/work area cord

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- B end equipped with RJ10 plug (4/4)
- Application: analog and digital telecommunication systems

Article number: 9KE76005 – 0.5 m

9KE76010 – 1.0 m

9KE76020 – 2.0 m

9KE76030 – 3.0 m

9KE76050 – 5.0 m

Pcs. per packing unit: 1

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- B end equipped with RJ11 plug (6/4)
- Application: analog and digital telecommunication systems

Article number: 9KE78005 – 0.5 m

9KE78010 – 1.0 m


9KE78020 – 2.0 m

9KE78030 – 3.0 m

9KE78050 – 5.0 m

Pcs. per packing unit: 1

Patch cords and work area cords(telephone)



ELine 1200® EC7 patch cord/work area cord

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- B end equipped with RJ45 plug
- Application: digital telephony

Article number: 9KE79005 – 0.5 m


9KE79010 – 1.0 m

9KE79020 – 2.0 m

9KE79030 – 3.0 m

9KE79050 – 5.0 m

Pcs. per packing unit: 1



ELine 1200® patch cord/work area cord

Product description:

- 3 conductors (7KS01184), black
- A end equipped with 1-pair EC7 plug
- Colour of bending protection sleeve: black
- B end equipped with RJ45 plug
- Application: analog telephony for terminal devices with earth key

Article number: 9KE80005 – 0.5 m


9KE80010 – 1.0 m

9KE80020 – 2.0 m

9KE80030 – 3.0 m

9KE80050 – 5.0 m

Pcs. per packing unit: 1



ELine 1200® patch cord/work area cord

Product description:

- 4 conductors (7KS01184), black
- A end equipped with 2-pair EC7 plug
- Colour of bending protection sleeve: black
- B end equipped with RJ45 plug, without bending protection
- Assignment RJ45 = 3/6, 4/5
- Application: ISDN

Article number: 9KE67005 – 0.5 m

9KE67010 – 1.0 m

9KE67020 – 2.0 m

9KE67030 – 3.0 m

9KE67050 – 5.0 m

Pcs. per packing unit: 1

Components for CATV use



ELine 1200® EC7-CATV work area cord

Product description:

- 1 conductor (7KS01072), grey
- A end equipped with EC7 1P plug
- Colour of bending protection sleeve: black
- B end equipped with CATV balun 100/75 Ω F plug (slide-on)
- Additional adapter: F jack to IEC plug
- Application: CATV cable

Article number: 9KE30002 – 0.2 m

9KE30010 – 1.0 m

Pcs. per packing unit: 1



ELine 1200® EC7-CATV patch cord

Product description:

- 1 conductor (7KS01072), grey
- A end equipped with EC7 1P plug
- B end equipped with EC7 1P plug
- Colour of bending protection sleeve: black
- Application: CATV patch cord for 2 x quadruple balun etc.

Article number: 9KE69005 – 0.5 m

9KE69010 – 1.0 m

9KE69020 – 2.0 m

9KE69030 – 3.0 m

9KE69050 – 5.0 m

Pcs. per packing unit: 1



ELine 1200® EC7-CATV dual quadruple balun 75/100 Ω

(distributor insert)

49 x 26 x 103 mm (WxHxD)

Product description:

- Input: 2 x coax, F jack (75 Ω)
- Output: 2 x ELine 1200® EC7 jack (8x1P 100 Ω)
- Metal housing with cover and mounting thread, also suitable for earth connection
- When mounted in ELine 1200® EC7 distributor: occupies two ports
- 6 x terminating resistors
- Application: 2 x quadruple CATV balun function
- Only in conjunction with ELine™ patch panel (16 ports) (Article number 9ZE10127), see p. 77 – additional accessories

Article number: 9ZE10271

Pcs. per packing unit: 1



ELine 1200® EC7 equalizer

Product description:

- Input: coax, F jack (75 Ω)
- Output: coax, F jack (75 Ω)
- Switchable via jumper: 9 dB, 18 dB, 27 dB

Article number: 9ZE10242

Pcs. per packing unit: 1

Components for telephone use



ELine 1200® EC7 telephone patch panel

485 x 44 x 106 mm (WxHxD)

Mounting depth: 104 mm

Product description:

- Complete with 25 x (1 x 4) two-conductor jacks
- 100 double conductors for operation with up to 100 telephone services on 1 U
- Rear connections 25 x 8 LSA
- Punch-down connections on 5 x 5 basic modules

Article number: 9ZE10221

Pcs. per packing unit: 1

Measuring equipment



ELine 1200® EC7 measuring adapter pair for Fluke DTX 1,800

(distributor insert)

49 x 26 x 103 mm (WxHxD)

Product description:

- Suitable for testing EC7 cabling systems up to Class F (600 MHz), permanent link and channel
- Measuring tip consists of an EC7 back-to-back plug which can be replaced when worn out

Article number: 9ZE30038

Pcs. per packing unit: 1 pair



ELine 1200® E7 back-to-back plug

Product description:

- ELine 1200® E7 back-to-back plug
- Plug face: four-pair EC7 on both sides
- Application: EC7 measuring tip for Class F measurements, for permanent link and channel measuring adapter for Fluke DTX 1,800

Article number: 9ZE30043

Pcs. per packing unit: 1

Other accessories for ELine 1200® EC7 and ELine 250® RJ45



ELine™ PREMIUM mini patch panel

457 x 47 x 82 mm (WxHxD)

Product description:

- Closed
- Without components
- For mounting on wall, floor or ceiling, in industrial environments etc.
- 16 dual ports to take up a maximum of 16 ELine 1200® EC7 or ELine 250® RJ45 jacks for mounting with adapter clip (Article number 9ZE30006)

Article number: 9ZE10106

Pcs. per packing unit: 1



ELine™ PREMIUM mini patch panel

237 x 47 x 82 mm (WxHxD)

Product description:

- Closed
- Without components
- For mounting on wall, floor or ceiling in industrial environments etc.
- 8 dual ports to take up a maximum of 8 ELine 1200® EC7 or ELine 250® RJ45 jacks for mounting with adapter clip (Article number 9ZE30006)

Article number: 9ZE10108

Pcs. per packing unit: 1



ELine™ PREMIUM mini patch panel

184 x 47 x 82 mm (WxHxD)

Product description:

- Closed
- Without components
- For mounting on wall, floor or ceiling, in industrial environments etc.
- 6 dual ports to take up a maximum of 6 ELine 1200® EC7 or ELine 250® RJ45 jacks for mounting with adapter clip (Article number 9ZE30006)

Article number: 9ZE10007

Pcs. per packing unit: 1



ELine™ PREMIUM mounting clip

184 x 47 x 82 mm (WxHxD)

Product description:

- For mounting ELine 250® RJ45, ELine 500™ RJ45 and ELine 1200® EC7 jacks to existing patch panels/ outlets from the old ELine™ range
- Pure white, RAL 9010
- Hinged dust protection cover

Article number: 9ZE30021

Pcs. per packing unit: 8

Other accessories for ELine 1200® EC7 and ELine 250® RJ45



ELine™ PREMIUM patch panel, 1 U

485 x 44 x 150 mm (WxHxD)

Mounting depth: 148 mm

ELine™ PREMIUM patch panel, 2 U

485 x 88 x 150 mm (WxHxD)

Mounting depth: 148 mm

Product description:

- Without components
- Takes up a maximum of 16 ELine 1200® EC7 or ELine 250® RJ45 jacks for mounting with adapter clip, Article number 9ZE30006
- 1 U
- Light grey, RAL 7035

Article number: 9ZE10127

Pcs. per packing unit: 1

Product description:

- Without components
- Takes up a maximum of 32 ELine 1200® EC7 or ELine 250® RJ45 jacks for mounting with adapter clip, Article number 9ZE30006
- 2 U
- Light grey, RAL 7035

Article number: 9ZE10128

Pcs. per packing unit: 1

Other accessories for ELine 1200® EC7 and ELine 250® RJ45



ELine 1200® EC7 bending protection sleeve



ELine 1200® EC7 terminator plug

Product description:

- For ELine 1200® EC7 patch cords and work area cords
- Reversible fastening
- Available in different colours for optical coding

Article number: 9ZE10069 – red

9ZE10070 – blue

9ZE10071 – yellow

9ZE10072 – green

9ZE10074 – black

9ZE10075 – grey

Pcs. per packing unit: 50

Product description:

- EC7 resistive plug, 2P, with 2 x 100 Ω terminator resistors
- Application: Pluggable terminator for ISDN So-Bus networks ELine 1200® EC7

Article number: 9ZE10104

Pcs. per packing unit: 1



ELine™ PREMIUM assembly tool

Product description:

- For simple, safe connection of the jacks
ELine 250® RJ45 S
ELine 250® RJ45 U and
ELine 1200® EC7

Article number: 9ZE30007

Pcs. per packing unit: 1