



## Section 5:

### Additional Cable Variations

### Low Voltage Cables

$U_0 / U$  0.6 / 1 kV



## Additional Cable Variations

Beside the cable constructions described in detail within this catalogue further cable types and constructions are available on request; e.g.:

KERPEN-Type:	Description
<b>YYQY-fi</b>	PVC-insulated and sheathed cables with galvanized steel wire braid armour, flame retardant. (only for cables with conductor cross-section not exceeding 6 mm <sup>2</sup> )
<b>2XYQY-fi</b>	XLPE-insulated and PVC-sheathed cables with galvanized steel wire braid armour, flame retardant. Only for cables with conductor cross-section not exceeding 6 mm <sup>2</sup> ).
<b>YYBY-fi</b>	PVC-insulated and sheathed cables with galvanized double steel tape armour, flame retardant.
<b>2XYBY-fi</b>	XLPE-insulated and PVC-sheathed cables with galvanized double steel tape armour, flame retardant.
<b>YKYRY-fi</b>	PVC-insulated and sheathed cables with lead sheath and galvanized round steel wire armour, flame retardant.
<b>2XKYRY-fi</b>	XLPE-insulated and PVC-sheathed cables with lead sheath and galvanized round steel wire armour, flame retardant.
<b>YKYBY-fi</b>	PVC-insulated and sheathed cables with lead sheath and galvanized double steel tape armour, flame retardant.
<b>2XKYBY-fi</b>	XLPE-insulated and PVC-sheathed cables with lead sheath and galvanized double steel tape armour, flame retardant.